



DK270

# Ultra Pima Quatro Fun Vest



Designed by Joan Somerville

## Ultra Pima Quatro Fun Vest

Materials: Cascade's Ultra Pima Quatro - 3(3,4,5) skeins of #3782

Finished Measurements: 34 (37, 38 ½, 42)

Gauge: 5 sts = 1" in St st

Needle size: one pair each of size 3 & size 6

### DOUBLE MOSS STITCH

Row 1: (right side) K1, \*P1, K1: rep from \* to end

Row 2: P1, \*K1, P1: rep from \* to end

Row 3: Same as row 2

Row 4: Same as row 1

These 4 rows form the double moss stitch

### PANEL A (worked over 10 sts)

Row 1: (right side) K10

Row 2: P10

Row 3: P10

Row 4: P10

Repeat these 4 rows 3x's more until 16 rows have been completed to form Panel A

### Panel B (MOSS STITCH over 10 sts)

Rows 1 & 2: \*K1, P1; rep from \*

Rows 3 & 4: \*P1, K1; rep from \*

Repeat these 4 rows 3x's more until 16 rows have been completed to form Panel B

-----

### BACK

Using larger needles cast on 103 (111, 115, 123) sts. Work 5 rows in Double Moss St. Next row: Decrease row: Pattern half way across, K2 tog, pattern to end. End on wrong side.

### Begin pattern:

Row 1: (Right Side) (P1, K1) 0(2,3,5) times, P1, K4, P1, \*work row 1 of Panel A, P1, K4, P1, work row 1 of Panel B, P1, K4, P1, K10, P1, K4, P1; rep from \* once more, (K1, P1) 0(2,3,5) times.

Row 2: (K1, P1) 0(2,3,5) times, K1, P4, K1, \*P10, K1, P4, K1, work row 2 of Panel B, K1, P4, K1, work row 2 of Panel A, K1, P4, K1; rep from \* once more, (P1, K1) 0(2,3,5) times.

Row 3: (K1, P1), 0(1,3,5) times, P1, C4B, P1 \*work row 3 of Panel A, P1, C4B, P1, work row 3 of Panel B, P1, C4B, P1, K10, P1, C4B, P1; rep from \* once more, (P1, K1) 0(2,3,5) times.

Row 4: (P1, K1) 0(2,3,5 ) times, K1, P4, K1, \*P10, K1, P4, K1, work row 4 of Panel B, K1, P4, K1, work row 4 of Panel A, K1, P4, K1; rep from \*once more, (K1, P1) 0(2,3,5) times.

These 4 rows form St st Panel, Moss St and Cables and set Panels A and B. Continue in pattern until 16 rows of the panels have been worked.

-----

Row 17: Pat 6(10, 12, 16)sts. K10, pat 6 sts. Work row 1 of Panel A, pat 6 sts, work row 1 of Panel B, pat 6 sts, rep from \*once more, pat to end

Row 18: Pat 6(10, 12, 16)sts. \*work row 2 of Panel B, pat 6 sts, work row 2 of Panel A, pat 6 sts, P10, pat 6 sts; rep from \* once more, pat to end.

These 2 rows form St st Panel and set Panels A and B. Continue in pat beginning with row 3 of Panels until 16 rows of the Panels have been worked.

-----

Row 33: Pat 6(10, 12, 16) sts, \*work row 1 of Panel B, pat 6 sts, K10, pat 6 sts, work row 1 of Panel A pat 6 sts; rep from \* once more, pat to end.

Row 34: Pat 6(10, 12,16)sts, \*work row 2 of Panel A, pat 6 sts, P10, pat 6 sts, work row 2 of Panel B, pat 6 sts; rep from \* once more, pat to end.

These 2 rows set St st Panel and set Panels A and B. Continue in pat beginning with row 3 of Panels until 16 rows of the panels have been worked. These 48 rows form the pat and are repeated. Continue in pat until the back measures 9"(9 ½", 9 ½, ", 10 ¼") from armhole, ending with a wrong side row.

-----

#### SHAPE ARMHOLES:

Keeping pat correct, bind off 8(8,8,9) sts at beginning of next 2 rows. Decrease 1 st each end of next 7(8,10,22) rows. Continue without shaping until back measures 17 1/4" (17 3/4," 18", 18 1/2") Bind off in pat.

#### LEFT FRONT:

Using larger needles, cast on 53(57, 59, 63) sts. Work in double moss st for 6 rows.

#### Begin pattern:

Row 1: (P1, K1) 0(2,3,5) times, P1, K4, P1; work row 1 of Panel A, P1, K4, P1, work row 1 of Panel B, P1, K4, P1, K10, (12, 12, 12) P1, (K1, P1) twice

Row 2: K1, (P1, K1) 2x's, P10, K1, P4, K1, work row 2 of Panel B, K1, P4, K1, work row 2 of Panel A, K1 P4, K1, (P1, K1) 0(2,3,5) times.

Row 3: (K1, P1) 0(2,3,5) times, P1, C4B, P1 work row 3 of Panel A, P1, C4B, P1, work row f3 of Panel B, P1, C4B, P1, K11, (P1, K1) twice

Row 4: (P1, K1) 2x's, P11, K1 P4, K1, work row 4 of Panel B, K1, P4, K1, work row 4 of Panel A, K1, P4, K1, (K1, P1) 0(2,3,5) times

These 4 row form the St st Panel, Double Moss st border, side sts and cables and set Panels A and B. Continue in pat until 16 rows of the panels have been worked.

-----

Row 17: Pat 6(10, 12,16) sts, K10, Pat 6, work row 1 of Panel A, pat 6 sts, work row 1 of Panel B, pat to end.

Row 18: Pat 5 sts, work row 2 of Panel B, pat 6 sts, work row 2 of Panel A, Pat 6 sts, P10, pat to end.

These 2 rows form St st Panel and set Panels A and B. Continue in pat, beg with row 3 of the panels until 16 rows are complete.

-----

Row 33: Pat 6 (10, 12, 16) sts, work row 1 of Panel B, pat 6 sts, K10, pat 6 sts, work row 1 of Panel A, pat to end.

Row 34: Pat 5 sts, work row 2 of Panel A, pat 6 sts, P10, pat 6 sts, work row 2 of Panel B, pat to end.

These 2 rows form St st Panel and set Panel A and B. Continue in pat until 16 rows of the panels have been worked.

These 48 rows form the pat and are repeated. Continue in pat until left front measures 9" from the beginning, ending with a wrong side row.

-----

#### SHAPE ARMHOLE AND FRONT EDGE

Keeping pattern correct:

Next row: cast off 8 (8, 8, 9) sts, pat to last 7 sts, K2 tog, pat to end.

Pat one row.

\*\*\*Pat 7 (8, 10,11) rows, dec 1 st at armhole edge on ever row, AT THE SAME TIME, dec 1 st as before at front edge on the first and every following row.

Keeping armhole straight, cont dec at front edge as before on 2nd and every following alt row to 22 (23, 25, 27) sts. Cont in pat without shaping until armhole measures 9 ( 9 1/2, , 9 1/2 , 9 1/2, 10 1/4) " ending with a wrong side row\*\*\*.

Next row: Bind off all but last 5 sts (including last used in binding off) and place onto a stitch holder. Place markers for 4 buttons, the first - 3/8 " above cast on edge, and the 4th below first front edge dec; space rem 2 buttons evenly between.

-----

#### RIGHT FRONT

NOTE: Work button holes opposite markers on right side rows as follows:

Buttonhole Row: Pat 2 sts, YO, K2 tog, pat to end.

Begin pattern

Row 1: (right side) P1, (K1, P1) twice, work row 1 of Panel A, P1, K4, P1, work row 1 of Panel B, P1, K4, P1, K10, P1, (K1, P1) 0 (2, 3, 5) times.

Row 2: (K1, P1) 0 (2, 3, 5) times, K1, P4, K1, P10, K1, P4, K1, work row 2 of Panel B, K1, P4, K1, work row 2 of Panel A, K1, (P1, K1) twice.

Row 3: K1, (P1, K1) twice, work row 3 of Panel A, P1, C4B, P1, work row 3 of Panel B, P1, C4B, P1, K10, P1, C4B, P1, (P1, K1) 0 (2, 3, 5) times.

Row 4: (P1, K1) 0 (2, 3, 5) times, K1, P4, K1, P10, K1, P4, K1, work row 4 of Panel B, K1, P4, K1, work row 4 of Panel A, P1, (K1, P1) twice.

These 4 rows form St st Panel, Double Moss st border, side sts and cables and set Panels A and B. Continue in pat beg with row 5 of Panels until 16 rows of the panels have been worked

-----

Row 17: Pat 5 sts, K10, pat 6 sts, work row 1 of Panel A, pat 6 sts, work row 1 of Panel B, pat to end.

Row 18: Pat 6 (10, 12, 16) sts, work row 2 of Panel B, pat 6 sts, work row 2 of Panel A, pat 6 sts, P10, pat to end.

These 2 rows form St st Panel and set Panels A and B. Cont in pat beg with row 3 of Panels until the 16th row of the panels have been worked.

Row 33: Pat 5 sts, work row 1 of Panel B, pat 6 sts, K10, pat 6 sts, work row 1 of Panel A, pat to end.

Row 34: Pat 6 (10, 12, 16) sts, work row 2 of Panel A, pat 6 sts, P10, pat 6 sts, work row 2 of Panel B. Pat to end.

These 2 rows form Stst Panel and set Panels A and B. Cont in pat, beg with row 3 of Panels until 16 rows of panels have been work.

These 48 row form the pat and are repeated. Cont. in pat until right front measures same as left front to shape armhole, ending with a wrong side row.

-----

#### SHAPE ARMHOLE & FRONT EDGE

Next Row: Pat 5 sts. sl 1 K1 pssso, pat to end.

Next Row: Bind off 8 (9, 8, 9) sts, pat to end.

Work as given for Left Front from \*\*\* to \*\*\*

Next row: Pat and sl those 5 sts onto a stitch holder, bind off remaining.

-----

#### BACK NECK BORDERS

Left Back Border:

Join shoulder seams. With right side of work facing and using larger needles, Double Moss st across 5 sts from left front, cont in Double Moss until border fits halfway across back neck. Cast off

Right Back Border: With wrong side of work facing and using larger needles, Double Moss st across 5 sts from right front. Complete to match left back border. Sew borders into position, seam together at back neck.

-----

#### ARMBANDS (Both alike)

With rs of work facing and using smaller needles, pick up and K113 (117, 121, 129) sts evenly around armhole edge. Work 5 rows in Double Moss st. Cast off in pat.

-----

#### FINISHING

Join side armband seams, join side seams. Sew on buttons.