



W171

Cascade Cloud 9  
Bolero



Designed by Yvette Silverman

# Puffed Eyelet Sleeve Bolero Jacket

Designed by Yvette Silverman

Knitted Measurements 34-36 (38-40, 40-42) in Bust

Length 15 (16, 17) in to shoulder

Materials 7 (8, 9) 50gr. Balls, approx. 109yds. Of Cascade Yarn Cloud 9 50% Merino wool, 50%

Angora, #6 needle or size to obtain gauge, 1 button

Gauge 20 sts & 28 rows = 4 in. Take time to check gauge

**When one set of instructions are indicated, it applies to all sizes.**

*Pattern Note:* Alternative construction for sleeves: Work sleeves with reverse st. st. omitting eyelet ridges.

## Patterns

Stock St K on RS, P on WS

Garner St k all rows

Yarn Over =Row 1 YO K 2tog through back loops

Row 2 Purl

**Back:** with # 6 needle cast on 90 (95, 100) sts. Work in garter st for 1 in. Change to stock st, on next row (RS) dec 1 st each end , then every 4th row till 80 (85, 90) sts. Work even till piece measures 7 ½ (8, 8 ½) in from the beg or desired length to underarm ending on a (WS) row.

**Armhole shaping:** Bind off 6 sts each end 1x, then dec 1 st each end every other row 6x= 56 (61, 66 ) sts. Work even till armhole measures 7 ½, (8, 8 ½) in.

**Shape shoulder:** Bind off 6 (7, 8 ) sts each end 1x, then 7 (8, 9 ) sts each end 1x. Place remaining 30 (31, 32 ) sts on a holder for back of neck.

Left Front: Cast on 50 (55, 60 ) sts. Work in garter st for 1 in. Keeping right 5 sts in garter st throughout, work remaining sts in stock st, de cist at side edge 1x, then every 4th row 5x =44

(49, 54 ) sts. work even till piece measures 6 ¼( 6 ¾, 7 ¼) in from the beg.

**Neck shaping:** Slip 5 sts from neck edge in garter st to a holder. Work across row. Purl back on (WS) of next row... On (RS) at neck edge, bind off 7 (8, 10 ) st 1x, then 7 (9, 11) sts 1x= 13, ( 15, 17 )sts. At the same time when the front measures the same as the back at the armhole edge, bind off as for the back armhole. When piece measures same as back to shoulder bind off as for back to shoulder.

**Right front:** Work as for left front reversing all shaping.

Sleeves Cast on 55 ( 60, 65 ) sts. Work 1in in garter st & inc to 110 sts evenly spaced across row. (WS) p across row. Work patt as follows: (RS) stock st on 3 sts \*work YO patt1x, k 15 sts \* repeat \* to \* ending with k3stock st. Row 2 Purl Continue in this patt till sleeve measure 7 ( 8, 9 ) in from the beg or desired sleeve length just above the elbow.

**Armhole shaping:** Bind off 6 sts beg of next 2 rows, then dec 1 st each end every other row until 68 (64, 60 ) sts remain. Work till armhole measures 6 (6 ½ ,7 ) in. On (RS) k3 tog across row. On the next row P 3 tog & bind off at the same time.

**Finishing:** Block pieces for measurement. Sew shoulder seams. Sew sleeves in place, sew sleeve & side seams. With (RS) facing, pick up at right front neck 5 sts from holder, 20 (22, 24) sts along neck edge, 30 ( 31, 32 ) from back holder, 20 (22, 24 ) along left neck edge 5 from left neck holder =80 (85, 90 ) sts. (WS) garter st across row.

**Buttonhole:** (RS) right front neck edge k2, bind off next 2 sts. Work in garter st across row. Next row garter st across row until bound off sts from previous row, then cast on 2 sts over bound off sts. Work in garter st till neckband = 1 in. Bind off. Work overcast st over buttonhole. Sew button in place on opposite side.