




W175

Cascade Luna  
Scalloped Eyelet Cardigan



Designed by Yvette Silverman

# Scalloped Eyelet Cardigan

## Designed by Yvette Silverman

Knitted Measurement Bust 34-36 (38-40, 42-44)

Length 24 (25, 26) in.

Materials 11, ( 12, 13 ) 59gr. Balls ( each approx. 82 yds) of Cascade Yarn Luna Peruvian Cotton, color # 703,

one pair # 7 needles or size to obtain gauge

Gauge 18 sts & 24 rows = 4 in. in stock st. Take time to check gauge

Patt1- Row 1 (ws) & all odd rows Purl

Row 2 K1, k2 tog, Yo K1 Yo, ssk, K1

Row 4 K2 tog, Yo k3 Yo, ssk

Row 6 K2, Yo, SL 1, K 2 tog, PSSO, Yo, K2

( ssk= slip first & second sts knitwise one at a time, then insert tip of left hand needle into front of the 2 sts then K 2 tog.)

Patt2 Row 1 (rs) k2 \* k2 tog, Yo\* repeat \*to \* across row end with either K1 or K2

Row 2 Purl

When 1 set of instructions are indicated it applies to all sizes.

Back Cast on 66 ( 72, 78) sts. Work in stock st for 1 in. Change to patt 2 for 2 rows, then work 4 rows in stock st & dec 1 st at end of last row = 65 ( 71, 77) sts. Work in Patt1 as follow: K3 ( 6, 9) sts work patt 1 \* 7 sts, 6 sts in stock st \* repeat frome \* to \* across row to last K3 ( 6, 9) sts.Keep 1st & last st in garter st throughout back. Work even till piece measures 22 ½( 23 ½, 24 ½ ) in. from beg.

Shape shoulders Keeping in Patt1, work across 25 ( 27, 29) sts slip center 15( 17, 19) sts to a holder,join a 2nd ball of yarn & work across 25 (27, 29) sts . Working with 2 balls of yarn & keeping in patt,

Next row p across.

(rs) de cist at neck edge every other row 2x= 23 (25, 27) st. When piece measures 24 (25, 26) in. from beg above patt2, bind off in patt.

Right Front Cast on 36 ( 40, 44) sts. Work in patt2 as for back. (ws) Purl across row.

Patt1 as follows: K2 (3, 4) sts. Work across row in patt end K1 (4, 6) sts. Cont as for back till piece measures 21 ½( 22 ½, 23 ½) in from beg above patt 2. Bind off 3 (3, 4) sts at neck edge 2x, then 2 sts. 2(2,3)x, then 1 st 3( 3, 4)x = 23 ( 25, 27) sts. Work till same length as back & bind off on same row as back.

Left Front Work as for right front reversing all shaping.

Sleeves Cast on 34( 36, 38) sts. Work patt 1 at bottom of sleeve as for back. Change to stock st.& inc 1 st each end every 1 ½ in till piece measures 3 ½,( 4, 4 ½) in above patt 1, then inc every 1 in, till piece measures 14( 14½, 15) in, then every ½ in, till 68( 72, 76) in. Work even till sleeve measures 17 ½, ( 18, 18 ½) in above patt 1 or desired sleeve length. Bind off.

Finishing Left Front Buttonband row- (rs) pick up 106 (108, 110) sts. Work Patt 1 as for back .

Place markers for 6 (6, 7) buttonholes evenly spaced.

Right Front (rs) picks up 106(, 108, 110) sts P next row.(rs) work buttonholes as follow: opposite markers on left front, bind off 2 sts for each buttonhole work across row. Next row, cast on 2 sts over each bound off sts of previous row. Work 2 rows even, Patt 1. Next row work button hole patt as above.

Finishing Block pieces to measure. Join shoulder seams, set in sleeves, sew side seams. Fold up bottom hem & sew in place, sew front bands in place so the scallops are forms same with sleeve cuff. Work overcast st around double buttonholes.

Neckband (rs) pick up 68( 70, 72) sts evenly around neck including the bound off sts from the front bands , along neck edge, sts on the holder. Work Patt1 as for back. Bind off & fold neckband in half & sew in place as for the scalloped edge.