

Cascade Cash Vero Lace Cable Cardigan



Designed by Yvette Silverman

Lace Cable Cardigan Designed by Yvette Silverman

KnittedMeasurements Bust 34-36 (38-40, 42-44) in.

Length 25 (26, 27) in.

Materials 11(12, 13) 50gr. Balls (each approx. 98 yds.) of Cascade Cash Vero, 55% Merino Wool, 33% Microfiber Acrylic,

12% Cashmere. In color # 016

1 pair US size # 10 knitting needles (or size to obtain gauge) 1 cable needle, 1 button or closure.

Gauge 13 sts. & 23 rows in Lace patt = 4 in. Take time to check gauge

Patterns Seed St Row 1 K1, P1

Row 2 K the P sts & P the K sts

Garter St K every row

Lace Pattern = 18sts. Row 1 (RS) K1* K2 tog, YO, K4, YO, SSK*,repeat * to * end K1

Row 2 Purl rpeat these 2 rows for pattern

Gull Cable = 10 sts. Row1(WS) K2, P6, K2

Row 2 P2, K2, slip 2, WYIB, K2, P2

Row3 K2, P2, slip 2, WYIF, P2, K2

Row 4 P2, slip next 2 sts to CN & hold in back, K1, then K2 from CN, slip next

St to CN & hold in front, K2, then K1 from CN, P2

Repeat these 4 rows for pattern

Note* When working first row of cable pattern after the seed st border on (RS) K across the 10 sts, then start row 1 of pattern

on (WS) row.

When one set of instructions are indicated it applies to all sizes.

Back Cast on 76(80,84) st. Work in seed st patt for 4 in. Change to patt as follows: Work 5 (7, 9) st in gater st., * 10 sts in

cable patt., 18 sts in lace patt,* repeat from * to * across row ending in 5 (7, 9) sts in garter st. Working as established patt till

piece measures 25, (26, 27) in. from the beg or desired length to shoulder. Bind off..

Left Front Cast on 40 (44, 48) sts. Work in seed st as for back. With (RS) facing, work patt s follows: 2 (4, 6) sts in garter,

18st in lace patt, 10 sts in cable patt, 10 (12, 14) sts in garter for front border. Work even in patt till piece measures 12 (13, 14)

in from the beg. (RS) row,dec 1st after the front border of garter sts every 4th row till 22 (26, 30) sts remain. Place 10 (12, 14)

garter sts on a holder. Bind off remaining 12 (14, 16) sts.

Right Front Work as for left front. Buttonhole—When piece measure 11 % (121/2, 13 %) in. from the beg (RS) facing at front

garter edge, work 3 sts in garter, then bind of 2 sts. Continue across row in patt. Next row cast on 2 sts over the 2 bound off sts

of previous row. Finish as for left front.

Sleeves Cast on 34 (36, 38) sts. Work in seed st patt for 3 in. On last row in 16 sts evenly spaced.across row = 50 (52, 54) sts.

Work patt as follows: 6 (7, 8) sts in garter st, 10 sts in cable patt, 18 sts in lace patt, 6 (7, 8) sts in garter st. Continue this way &

at the same time inc. 1 st each end every 1 in till 70 (74, 78) sts. Work even till piece measure 17 ½ (18, 18 ½) in from the beg,

or desired sleeve length. Bind off.

Finishing Block pieces for measurements

Neckband Slip sts from first holder to knitting needles & work in garter st for 5 % (5 %, 6 %) in.Bind off. Sew shoulder seams

& neckband to back of neck then seam each side at center of back of back of neck together. Sew side seams & set in sleeves.

.