



W350

Eco Cloud
Women's V-Neck Cardigan
With Cable Fronts



Designed By Marilyn Peters

V-Neck Cardigan with Cabled Fronts

designed by Marilyn Peters

<p>To fit sizes: Bust: 32" (34", 36", 38", 40", 42") Length: 21" (21", 21", 21", 22", 22") Sleeve length: 19" (19", 19", 19", 20", 20")</p> <p>Gauge: 6 sts x 7 rows = 1" using 5mm (US8) needles and stst</p> <p>Skill level: Intermediate</p> <p><i>If you need help knitting cables, simply go to www.knittingknitting.com and get Marilyn Peters' Learn to Knit DVD.</i></p>	<p>Materials: 7 (7, 7, 8, 8, 8) x 100g balls Eco Cloud (70% Undyed Merino Wool and 30% Undyed Baby Alpaca) by Cascade Yarns – color 1804 1 pair each 5mm (US8) and 6mm (US10) needles 1 x 5mm (US8) circular needle 1 stitch holder 4 x ½" buttons</p>
--	--

Special Abbreviations

CB = place next 5 sts on cable needle and leave at back of work, k5, then k5 from cable needle

CF = place next 5 sts on cable needle and leave at front of work, k5, then k5 from cable needle

Back

Using 5mm (US8) needles cast on 69 (75, 81, 87, 93, 99) sts and work in rib for 20 rows, incr. 15 sts evenly across last row – 84 (90, 96, 102, 108, 114) sts.

Change to 6mm (US10) needles and work in double rib until back measures 21" (21", 21", 21", 22", 22"), or length desired, finishing on a wrong side row.

Next row: BO28 (30, 32, 34, 36, 38), double rib 28 (30, 32, 34, 36, 38) sts and leave on holder, BO28 (30, 32, 34, 36, 38).

Right Front

Using 5mm (US8) needles cast on 30 (33, 36, 39, 42, 45) sts and work in rib for 20 rows, incr. 6 (7, 8, 7, 8, 7) sts evenly across last row – 36 (40, 44, 46, 50, 52) sts

Change to 6mm (US10) needles and work patt. as foll:

Row 1: P3, k10, p3, k2tog (*for v-neck shaping*), p2, work in double rib to end of row

Row 2: Double rib 18 (22, 26, 30, 34, 38) sts, p1, k3, p10, k3

Row 3: P3, k10, p3, k1, double rib to end of row

Rep. rows 2 and 3 twice

Rep. row 2

Row 9: P3, CF, p3, work 2tog (*for v-neck shaping*), double rib to end of row

Row 10: Double rib 20 (24, 28, 32, 36, 40) sts, k3, p10, k3

*Cont. working patt. by making a cable twist every foll. 10th row AT THE SAME TIME work 2tog for v-neck shaping on every 8th row to 28 (30, 32, 34, 36, 38) sts.

Cont. without shaping but cont. working the cable until front measures 21" (21", 21", 21", 22", 22"), or desired length, finishing on a wrong side row. BO.*

Left Front

Using 5mm (US8) needles cast on 30 (33, 36, 39, 42, 45) sts and work in rib for 20 rows, incr. 6 (7, 8, 7, 8, 7) sts evenly across last row – 36 (40, 44, 46, 50, 52) sts

Change to 6mm (US10) needles and work patt. as foll:

Row 1: Double rib 18 (22, 26, 30, 34, 38) sts, k2tog (*for v-neck shaping*), p3, k10, p3

Row 2: K3, p10, k3, p1, double rib to end of row

Row 3: Double rib 18 (22, 26, 30, 34, 38) sts, k1, p3, k10, p3

Rep. rows 2 and 3 twice

Rep. row 2

Row 9: Double rib 18 (22, 26, 30, 34, 38) sts, p2tog (*for v-neck shaping*), p2, CB, p3

Row 10: K3, p10, k3, double rib to end of row

Work the same as for right front from * to *.

Please use the table below to mark your rows for working front shaping and cables

Dec. every 8 th row	Cable every 10 th row
--------------------------------	----------------------------------

Sleeves (*make 2 the same*)

Using 5mm (US6) needles cast on 42 (42, 44, 44, 46, 46) sts and work in rib for 20 rows, incr. 6 sts evenly across last row – 48 (48, 50, 50, 52, 52) sts.

Change to 6mm (US10) needles and working in double rib, incr. 1 st at each end of 7th and every foll. 6th row to 76 (76, 78, 78, 80, 80) sts, then incr. 1 st at each end of every alt row to 92 (92, 94, 94, 96, 96,) sts.

Work without shaping until sleeve measures 19". BO loosely.

Front bands

With rights together sew fronts to back at shoulder seams. With right side facing and starting at lower right front edge, using 5mm (US6) circular needle pick up 134 (134, 134, 134, 138, 138) sts to holder, k 28 (30, 32, 34, 36, 38) sts from holder, pick up 134 (134, 134, 134, 138, 138) sts to lower left front edge – 296 (298, 300, 302, 312, 314) sts.

Work in rib for 5 rows, dec. 1 st in middle of back on first row – 295 (297, 299, 301, 311, 313) sts.

Next row: (*buttonhole row*) Rib 3, **yrn for m1, k2tog, rib 7, rep. from ** twice, rib to end of row.

Work in rib for 3 rows. BO.

Finishing

Sew sleeves into place. Sew sleeve and side seams. Sew on buttons and tie in ends.