



Cascade 220
Cabled Heather for Him



Designed By Melissa Leapman

Cabled Heather for Him

Designed by Melissa Leapman for Cascade Yarns

Sizes

Small (Medium, Large, Extra-Large, Extra-Extra Large). Instructions are for smallest size, with changes for other sizes noted in parentheses as necessary.

Finished Measurements

Chest: 43 ½ (46 ½, 49 ½, 52 ½, 56)"

Total length: 26 (26 ½, 26 ½, 27, 27)"

Materials

- Cascade Yarn's *Cascade 220*, 8 (8, 9, 10, 1) hanks of #9574
- One pair sizes 7 and 8 knitting needles or size needed to obtain gauge
- Cable needle

Gauge

In Cable Patt with larger needles, 26 sts and 26 rows = 4". To save time, take time to check gauge.

Stitch Patterns

Rib Pattern (*mult 5 + 1 sts*)

See chart.

Main Pattern (*mult 10 + 6 sts*)

See chart.

Note

Instructions include one selvedge st each side; these sts are not reflected in final measurements.

Back

With smaller needles, CO 136 (146, 156, 166, 176) sts.

Beg Rib Patt, and work even until piece measures approx 3" from beg.

Change to larger needles, beg Main Patt, and work even until piece measures approx 16" from beg, ending after WS row.

Shape Armholes

BO 10 (14, 19, 24, 29) sts at beg of next two rows—116 (118, 118, 118, 118) sts rem.

Cont even until piece measures approx 24 ½ (25, 25 ½, 26, 26)" from beg, ending after WS row.

Shape Neck

Work across first 33 (34, 34, 34, 34) sts, join second ball of yarn and BO middle 50 sts, work across to end row.

Work both sides at once with separate balls of yarn and dec 1 st each neck edge once—32 (33, 33, 33, 33) sts rem each side.

Cont even until piece measures approx 25 (25 ½, 26, 26 ½, 26 ½)" from beg, ending after WS row.

Shape Shoulders

BO 11 sts at beg of next four rows, then BO 10 (11, 11, 11, 11) sts at beg of next two rows.

Front

Same as back until piece measures approx 23 (23 ½, 24, 24 ½, 24 ½)" from beg, ending after WS row.

Shape Neck

Work across first 48 (49, 49, 49, 49) sts, join second ball of yarn and BO middle 20 sts, work to end row.

Work both sides at once with separate balls of yarn and BO 6 sts each neck edge once, BO 4 sts each neck edge once, BO 2 sts each neck edge once, then dec 1 st each neck edge every row 4 times—32 (33, 33, 33, 33) sts rem each side.

Cont even until piece measures same as back to shoulders.

Shape Shoulders

Same as for back.

Sleeves

With smaller needles, CO 66 sts.

Beg Rib Patt, and work even until piece measures approx 2" from beg.

Change to larger needles, beg Main Patt, and inc 1 st each side every other row 0 (1, 9, 16, 26) times, every fourth row 20 (28, 23, 19, 13) times, then every sixth row 6 (0, 0, 0, 0) times, working new sts into patt as they accumulate—118 (124, 130, 136, 144) sts.

Cont even until sleeve measures approx 21 ½ (21 ½, 22, 22 ½, 22 ½)" from beg, ending after WS row.

BO.

Finishing

Sew right shoulder seam.

Neckband

With smaller needles, pick up and knit 81 sts along neck opening.



Beg Rib Patt, and work even until neckband measures approx 2 ½" from beg. BO loosely.

Sew left shoulder seam, including side of neckband.

Fold neckband in half to WS and *loosely* whipstitch into place.

Set in sleeves.

Sew sleeve and side seams.



KEY □ = K on RS; P on WS

• = P on RS; K on WS

∩ = Right Twist = Slip next st onto cn and hold in back; K1; K1 from cn **OR** K2tog, leaving them on LH needle; insert point of RH needle between these 2 sts and K the first one again

