



C184

Cascade 128

Man's Cables and Ribs Pullover



Designed by Melissa Leapman

Cascade 128 Man's Cables and Ribs Pullover

Designed by Melissa Leapman

Sizes:

Small (Medium, Large, 1X, 2X). Instructions are for smallest size, with changes for other sizes noted in parentheses as necessary.

Finished Measurements:

Chest: 44 (47 ½, 51, 54 ½, 58)"

Length: 26 (26 ½, 27, 27, 27 ½)"

Materials:

Cascade 128: 11 (12, 13, 14, 15) hanks of #8012

One pair of size 10 ½ knitting needles or size needed to obtain gauge

One 16" circular knitting needle, size 10

Gauge:

In Cable Patt with straight needles, 22 sts and 20 rows = 4";

In Rib Patt with straight needles, 16 sts and 20 rows = 4".

To save time, take time to check gauge.

Cable Patt (mult 10 sts)

Row 1 (RS): *P2, K6, P2. Repeat from * across.

Row 2 and all WS rows: *K2, P6, K2. Repeat from * across.

Row 3: *P2, slip next 3 sts onto cn and hold in back, K3, K3 from cn, P2. Repeat from * across.

Rows 5 and 7: As Row 1.

Row 8: As Row 2.

Repeat Rows 1-8 for patt.

Rib Patt (mult 5 sts)

Row 1 (RS): *P2, K1, P2. Repeat from * across.

Row 2: *K2, P1, K2. Repeat from * across.

Repeat Rows 1 and 2 for patt.

Neckband Rib Patt (mult 2 sts)

Patt Row: *K1, P1. Repeat from * across.

Repeat Patt Row.

Back

With straight needles, CO 120 (130, 140, 150, 160) sts.

Beg Cable Patt, and work even until piece measures approx 15 ½" from beg, ending after WS row.

Shape Armholes

BO 10 (11, 11, 11, 18) sts at beg of next two rows—100 (108, 118, 128, 124) sts rem.

Cont even until piece measures approx 25 (25 ½, 26, 26, 26 ½)" from beg, ending after WS row.

Shape Shoulders

BO 9 (11, 12, 14, 13) sts at beg of next four rows, then BO 10 (10, 13, 14, 14) sts at beg of next two rows—44 sts rem.

BO.

Front

Same as back until piece measures approx 23 (23 ½, 24, 24, 24 ½)" from beg, ending after WS row.

Shape Neck

Work across first 41 (45, 50, 55, 53) sts, join second ball of yarn and BO middle 18 sts, work across to end row.

Work both sides at once with separate balls of yarn, and BO 5 sts each neck edge twice, BO 2 sts each neck edge once, then dec 1 st each neck edge once—28 (32, 37, 42, 40) sts rem each side. Cont even until piece measures same as back to shoulders.

Shape Shoulders

Same as for back.

Sleeves

With straight needles, CO 40 (40, 45, 45, 45) sts.

Beg Rib Patt, and inc 1 st each side every other row 0 (0, 0, 0, 3) times, every fourth row 8 (15, 16, 18, 19) times, then every sixth row 10 (5, 4, 2, 0) times, working new sts into Rib Patt as they accumulate—76 (80,

85, 85, 89) sts.

Cont. even until pieces measures approx. 21 ½ (21, 20 ¾, 19 ¾, 20 ¾)" from beg, ending after WS row.

BO.

Finishing

Sew shoulder seams.

Neckband

With RS facing and circular needle, pick up and knit 70 sts along neckline. Join.

Beg Neckband Rib Patt, and work even until band measures approx 2 ¼" from beg.

BO loosely.

Fold neckband in half to WS and loosely whipstitch into place.

Set in sleeves, using square indented construction.

Sew sleeve and side seams.

