



Cascade 128
Women's Cables and Ribs Pullover



Designed by
Melissa Leapman

Woman's Cables and Ribs Pullover

Designed by Melissa Leapman

Sizes

Small (Medium, Large, 1X, 2X). Instructions are for smallest size, with changes for other sizes noted in parentheses as necessary.

Finished Measurements

Bust: 35 (40, 45, 50)"

Length: 24 (24 ½, 25, 25)"

Materials

- Cascade Yarn's 128, 8 (9, 10, 11) hanks of Lilac #9541
- One pair each of size 10 ½ knitting needles or size needed to obtain gauge
- One circular knitting needle, 16", in sizes 10 ½ and 11

Gauge

In Cable Patt with smaller needles, 22 sts and 20 rows = 4";

In Rib Patt with smaller needles, 16 sts and 20 rows = 4".

To save time, take time to check gauge.

Cable Patt (mult 10 sts)

Row 1 (RS): *P2, K6, P2. Repeat from * across.

Row 2 and all WS rows: *K2, P6, K2. Repeat from * across.

Row 3: *P2, slip next 3 sts onto cn and hold in back, K3, K3 from cn, P2. Repeat from * across.

Rows 5 and 7: As Row 1.

Row 8: As Row 2.

Repeat Rows 1-8 for patt.

Rib Patt (mult 5 sts)

Row 1 (RS): *P2, K1, P2. Repeat from * across.

Row 2: *K2, P1, K2. Repeat from * across.

Repeat Rows 1 and 2 for patt.

Neckband Rib Patt (mult 2 sts)

Patt Row: *K1, P1. Repeat from * across.

Repeat Patt Row.

Back

With smaller needles, CO 70 (80, 90, 100) sts.

Beg Cable Patt, and work even until piece measures approx 6" from beg, ending after Row 6 of patt.

Beg Rib Patt, and cont even until piece measures approx 15 ½" from beg, ending after WS row.

Shape Armholes

BO 5 (8, 10, 12) sts at beg of next two rows, BO 2 (2, 3, 6) sts at beg of next two rows, then dec 1 st each side every row 1 (2, 3, 3) times, then every other row twice—50 (52, 54, 54) sts rem.

Cont even until piece measures approx 23 (23 ½, 24, 24)" from beg, ending after WS row.

Shape Shoulders

BO 4 sts at beg of next four rows, then BO 3 (4, 5, 5) sts at beg of next two rows—28 sts rem.

BO.

Front

Same as back until piece measures approx 21 (21 ½, 22, 22)" from beg, ending after WS row.

Shape Neck

Work across first 19 (20, 21, 21) sts, join second ball of yarn and BO middle 12 sts, work across to end row.

Work both sides at once with separate balls of yarn, and BO 4 sts each neck edge once, BO 2 sts each neck edge once, then dec 1 st each neck edge twice—11 (12, 13, 13) sts rem each side.

Cont even until piece measures same as back to shoulders.

Shape Shoulders

Same as for back.

Sleeves

With smaller needles, CO 50 sts.

Beg Cable Patt, and inc 1 st each side every fourth row 0 (0, 0, 2) times, every sixth row 1 (9, 13, 13) times, then every eighth row 10 (4, 1, 0) times, working new sts into Cable Patt as they accumulate—72 (76, 78, 80) sts.

Cont even until pieces measures approx 18 ½" from beg, ending after WS row.

Shape Cap

BO 5 (8, 10, 12) sts at beg of next two rows, then dec 1 st each side every other row 1 (3, 8, 9) times, then every row 19 (16, 10, 8) times—22 sts rem.

Work 0 (1, 0, 0) row even.

BO 2 sts at beg of next four rows—14 sts rem.

BO.

Finishing

Sew left shoulder seam.

Neckband

With RS facing and smaller circular needle, pick up and knit 70 sts along neckline. Join.

Beg Neckband Rib Patt, and work even until band measures approx 4" from beg.

Change to larger circular needle, and cont even in patt until neckband measures approx 8" from beg.

BO *loosely* in patt.

Set in sleeves, using square indented construction.

Sew sleeve and side seams.

